


## IN THE CLAIMS

1. (currently amended) A compound having general formula (I):



(I)

wherein:

X<sub>1</sub> represents a hydrogen atom or a halogen atom;

X<sub>2</sub> represents a halogen atom;

- X<sub>4</sub> represents a C<sub>1</sub>-C<sub>3</sub> haloalkyl group;
- R represents a hydrogen atom, a C<sub>1</sub>-C<sub>3</sub> alkyl group or a C<sub>1</sub>-C<sub>3</sub> haloalkyl group;
- G represents an oxygen atom or a sulphur atom;
- X<sub>3</sub> represents a Q(CR<sub>1</sub>R<sub>2</sub>)<sub>n</sub>Z- group, a Q<sub>2</sub>- group, a Y(CO)-CR<sub>6</sub>=CR<sub>5</sub>-CR<sub>3</sub>R<sub>4</sub>Z- group;
- Z represents an oxygen atom or a sulphur atom;
- R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub> and R<sub>4</sub>, the same or different, represent a hydrogen atom or, a C<sub>1</sub>-C<sub>4</sub> alkyl group;
- R<sub>5</sub> represents an OR<sub>7</sub> group;
- R<sub>6</sub> represents a hydrogen atom or a C<sub>1</sub>-C<sub>4</sub> alkyl group;
- R<sub>7</sub> represents a C<sub>1</sub>-C<sub>4</sub> alkyl group or a C<sub>1</sub>-C<sub>4</sub> haloalkyl group;
- Y represents a C<sub>4</sub>-C<sub>6</sub> alkoxy or haloalkoxy group;
- n represents 1, 2 or 3;
- Q represents a heterocyclic group selected from 1,3,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl and 1,2,4-oxadiazolyl, said groups, in turn, being optionally substituted with a halogen atom selected from chlorine, fluorine, bromine or iodine, or with a group selected from C<sub>1</sub>-C<sub>6</sub> alkyl or C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl or C<sub>2</sub>-C<sub>6</sub> haloalkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl or C<sub>2</sub>-C<sub>6</sub>

haloalkynyl,

-  $Q_2$  represents a heterocyclic group selected from 1H-tetrazol-5-yl or 2H-tetrazol-5-yl, being optionally substituted with a group selected from:  $C_1$ - $C_6$  alkyl;  $C_1$ - $C_6$  haloalkyl;  $C_2$ - $C_6$  alkenyl;  $C_2$ - $C_6$  haloalkenyl;  $C_2$ - $C_6$  alkynyl;  $C_2$ - $C_6$  haloalkynyl,  $C_2$ - $C_6$  alkoxyalkyl;  $C_2$ - $C_6$  haloalkoxyalkyl;  $C_3$ - $C_8$  alkoxyalkoxyalkyl,  $C_6$ - $C_{12}$  arylalkyl,  $C_7$ - $C_{12}$  aryloxyalkyl,  $C_8$ - $C_{12}$  arylalkyloxyalkyl said groups in turn being optionally substituted with halogen atoms,  $C_1$ - $C_4$  alkyl groups,  $C_1$ - $C_3$  haloalkyl groups,  $C_1$ - $C_4$  alkoxy groups,  $C_1$ - $C_3$  haloalkoxy groups, CN;  $C_3$ - $C_7$  cycloalkyl,  $C_6$ - $C_{12}$  cycloalkylalkyl, tetrahydropyran-2-yl said groups in turn being optionally substituted with halogen atoms,  $C_1$ - $C_4$  alkyl groups,  $C_1$ - $C_4$  alkoxy groups.

2. (previously presented): A compound according to claim 1, characterized in that it is selected from:

-methyl (2E)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;

-methyl (2E)-4-(2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;

-methyl (2E)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenylthio)-3-methoxybut-2-enoate;

-ethyl (2E)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-ethoxybut-2-enoate;

-methyl (2E)-4-(2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenylthio)-3-methoxybut-2-enoate;

-ethyl (2E)-4-(2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-ethoxybut-2-enoate;

-isopropyl (2E)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;

-methyl (2E)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;

-methyl (2E)-4-(2,4-dichloro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;

-ethyl (2E)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-ethoxybut-2-enoate;

-isopropyl (2E)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;  
-2,2,2-trifluoroethyl (2E)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;  
-2,2,2-trifluoroethyl (2E)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;  
- 3-{5-[(5-tert-butyl-1,3,4-oxadiazol-2-yl)methoxy]-4-chloro-2-fluorophenyl}-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
- 3-[4-chloro-3-(tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-(2-methyl-2H-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-(1-methyl-1H-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-(tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-2-fluoro-5-(tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[2,4-dichloro-5-(tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[4-chloro-2-fluoro-5-(tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[2,4-dichloro-5-(tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[4-chloro-3-(2-methyl-2H-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[4-chloro-2-fluoro-5-(2-methyl-2H-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[2,4-dichloro-5-(2-methyl-2H-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[4-chloro-2-fluoro-5-(1-methyl-1H-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[2,4-dichloro-5-(1-methyl-1H-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[4-chloro-2-fluoro-5-(2-methyl-2H-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[2,4-dichloro-5-(2-methyl-2H-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[4-chloro-3-(2-ethyl-2H-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[4-chloro-3-(1-methyl-1H-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-[4-chloro-2-fluoro-5-(1-methyl-1H-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

- 3-[2,4-dichloro-5-(1-methyl-1*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-3-[4-chloro-3-(1-ethyl-1*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-methyl (2*E*)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-6-oxo-2-thioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;

-methyl (2*E*)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-difluoromethyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;

-methyl (2*E*)-4-(2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxypent-2-enoate;

-methyl (2*E*)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxypent-2-enoate;

-ethyl (2*E*)-4-(2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;

-ethyl (2*E*)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;

-3-[4-chloro-3-[2-(methoxymethyl)-2*H*-tetrazol-5-yl]phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-3-(4-chloro-3-[1-(methoxymethyl)-1*H*-tetrazol-5-yl]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;  
-3-(4-chloro-3-[2-(ethoxymethyl)-2*H*-tetrazol-5-yl]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;  
-3-(4-chloro-3-[1-(ethoxymethyl)-1*H*-tetrazol-5-yl]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;  
-3-[3-(2-allyl-2*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;  
-3-[3-(1-allyl-1*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;  
-3-(4-chloro-2-fluoro-5-[(5-methyl-1,2,4-oxadiazol-3-yl)methoxy]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;  
-3-[2,4-dichloro-5-[(5-methyl-1,2,4-oxadiazol-3-yl)methoxy]phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;  
-3-(4-chloro-2-fluoro-5-[(3-methyl-1,2,4-oxadiazol-5-yl)methoxy]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;  
-3-[4-chloro-2-fluoro-5-(1,2,4-oxadiazol-3-ylmethoxy)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;  
-3-[3-(2-*tert*-butyl-2*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-3-(4-chloro-3-{2-[(2-methoxyethoxy)methyl]-2*H*-tetrazol-5-yl}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-3-(4-chloro-3-{1-[(2-methoxyethoxy)methyl]-1*H*-tetrazol-5-yl}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-3-[4-chloro-3-(2-isopropyl-2*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-3-[3-(2-benzyl-2*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-3-[3-(1-benzyl-1*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-methyl (2*E*)-4-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;

-ethyl (2*E*)-4-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-ethoxybut-2-enoate;

-3-[4-chloro-3-(1,2,4-oxadiazol-3-ylmethoxy)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-3-{4-chloro-3-[1-(cyclopropylmethyl)-1*H*-tetrazol-5-yl]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

-3-{4-chloro-3-[2-(cyclopropylmethyl)-2*H*-tetrazol-5-

yl]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

- 3-[3-(2-butyl-2H-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

- 3-(4-chloro-3-{2-[(4-chlorophenoxy)methyl]-2H-tetrazol-5-yl}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-(4-chloro-3-{1-[(4-chlorophenoxy)methyl]-1H-tetrazol-5-yl}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-(4-chloro-3-[2-(4-chlorobenzyl)-2H-tetrazol-5-yl]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-(4-chloro-3-[1-(4-chlorobenzyl)-1H-tetrazol-5-yl]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-methyl 2-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-1,3-thiazole-4-carboxylate;

-methyl (2-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-1,3-thiazol-4-yl)acetate.

3-24. (canceled)

25. (previously presented): A composition containing, as active principle, one or more compounds having general formula (I) according to claim 1.

26. (canceled)

27. (canceled)

28. (previously presented): The composition according to claim 25, characterized in that the concentration of the active substance ranges from 1 to 90%.

29. (previously presented): A compound as defined in claim 1 wherein Q is 1,2,4-oxadiazolyl.

30. (previously presented): A compound as defined in claim 1 wherein Q is 5-methyl-1,2,4-oxadiazolyl.